

HIGH-SPEED BURNISHER

CB-1500C

High-Speed burnisher

Technical Specification:

| | |
|-----------------------|---------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1100W |
| Current: | 5A |
| Brush rotation speed: | 1500rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 508mm |
| Main cable length: | 12m |
| Weight: | 45.2kg |
| Size: | 480X150X930mm |
| Size: | 805X560X475mm |

CB-1500C



Features: Beautiful and fashionable appearance. It's easy to operate. It is designed for polishing the floor of all kinds of stone materials. Its rotating speed is 1500 rpm the motor is totally enclosed. After waxing and polishing the floor surface is shining as a mirror.

MULTI-FUNCTIONAL BRUSHING MACHINE

BD1A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1100W |
| Current: | 5A |
| Brush rotation speed: | 154rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 432mm |
| Main cable length: | 12m |
| Weight: | 47kg |
| Size: | 400X120X1150mm |
| Size: | 556X430X325mm |



BD1A

Features: Its super high power air-cooling motor and the double-capacitor design allow a safer operation. It provides a strong power output. It has multiple functions such as carpet and floor cleaning, wax removing, low-speed polishing, floor crystal treatment and renewing.

BD2A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1100W |
| Current: | 5A |
| Brush rotation speed: | 154rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 432mm |
| Main cable length: | 12m |
| Weight: | 36.8kg |
| Size: | 400X120X1150mm |
| Size: | 556X430X325mm |



BD2A

BD3A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1100W |
| Current: | 5A |
| Brush rotation speed: | 154rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 432mm |
| Main cable length: | 12m |
| Weight: | 47kg |
| Size: | 400X120X1150mm |
| Size: | 556X430X325mm |



BD3A

Features: Its super high power air-cooling motor and the double-capacitor design allow a safer operation, It provides a strong power output, It has multiple functions such as carpet and floor cleaning, wax removing, low-speed polishing, floor crystal treatment and renewing.

PBD1A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1100W |
| Current: | 6.6A |
| Brush rotation speed: | 175rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 430mm |
| Main cable length: | 12m |
| Weight: | 43kg |
| Size: | 490X150X1140mm |
| Size: | 570X440X370mm |



PBD1A

Features: The eccentricity is not remaining in the center which is designed by imported technology, therefore, the weight and centrifugal force are balanced, thus reducing rear resistance, convenient operation. Feed water from middle, reduce detergent, convenient for cleaning carpet.

PBD2A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1500W |
| Current: | 4A |
| Brush rotation speed: | 150rpm/min |
| Brush diameter: | 436mm |
| Main cable length: | 12m |
| Weight: | 76.5kg |
| Size: | 400X120X1180mm |
| Size: | 610X460X400mm |



PBD2A

Features: The stone machine is an equipment specially designed for renewing and crystallizing of the stone. To ensure crystal effect, the stone renewing and crystallizing process requires the machine with some weight running at specific rotating speed. If overweighing a common polish machining, this will reduce its service life, while the stone brightness may be low or uneven due to uneven distribution of the weight. PBD2A is designed specially for stone renewing. Equipped with 2P horsepower, it has powerful torsion force to withstand the resistance from stone treatment. Meanwhile, its 70kg dead weight can provide adequate pressure on the stone surface, making the renewing and treatment process more effective. To ensure safe operation, this machine is provided with safety ON/OFF lock key. Besides, it is specially provided with alloy handle to ensure good appearance and higher durability.

PBD3A

Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 1800W |
| Current: | 6.6A |
| Brush rotation speed: | 170rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 457mm |
| Main cable length: | 12m |
| Weight: | 50kg |
| Size: | 490X150X1140mm |
| Size: | 585X480X365mm |



PBD3A

Features: It's super high power air-cooling motor and the double-capacitor design allow a safer operation, It provides a strong power output, It has multiple functions such as carpet and floor cleaning, wax removing, low-speed polishing, floor crystal treatment and renewing.

PBD4A

Multi-functional Brushing Machine

Technical Specification:

| | |
|-----------------------|----------------|
| Voltage/Frequency: | 220VAC/50Hz |
| Power: | 2200W |
| Current: | 13.6A |
| Brush rotation speed: | 150rpm/min |
| Noise: | ≤ 54dB |
| Brush diameter: | 457mm |
| Main cable length: | 12m |
| Weight: | 58kg |
| Size: | 490X150X1140mm |
| Size: | 570X475X390mm |



PBD4A

Features: The stone machine is being widely used. With fashion shape and customized aluminum housing to ensure no rusting, it has strong radiating performance. It is provided with 3P motor to provide powerful force and relieve you from any worry in your work. It is particularly equipped with gear reducing box and aluminum alloy brush clamp. The working width is 43cm. It is also equipped with durable butterfly handle and water box of low gravity center. Except ground cleaning function, it can accelerate or decelerate the weigh block whenever needed, thus to enhance efficiency and reach ideal effect. Integrating the functions of ground cleaner, it can be used for crystallizing or renewing of the stone, suitable for plant, building, hotel and shopping plaza. It is particularly suitable for the cleaning company to make daily care and special treatment to the stone.

AC-1500

AIR Clean High-Speed burnisher

Technical Specification:

| | |
|-----------------------|-------------------|
| Power : | 1100W |
| Voltage : | 220V—240V~ |
| Speed : | 1500RPM/min |
| Main cable length : | 12m |
| Base plate diameter : | 20" |
| Weight : | 50kg |
| Accessories : | main body、 handle |



AC-1500

Features: It had a beautiful and fashionable appearance and is easy to operate. It is designed for polishing the floor of all kinds of stone materials. Its rotating speed is 1500 rpm the motor is totally enclosed. After waxing and polishing the floor surface is shining as a mirror.

AIR CLEAN EPICYCLIC DISK WEIGHING RENEWING MACHINE

AC-173H

AIR Clean Epicyclic Disk Weighing Renewing Machine

Technical Specification:

| | |
|--------------------------------|---|
| Power: | 1800W |
| Voltage: | 220V—240V~ |
| Main disk rotation speed: | 154RPM/min |
| Polishing head rotation speed: | 1280RPM/min |
| Main cable length : | 12m |
| Base plate diameter: | 18" |
| Weight: | 80kg |
| Weight iron weight: | 2X20kg |
| Number of polishing heads: | 3ps |
| Accessories: | main body, handle, water tank, pad holder, hard brush, soft brush, two pieces of weighting irons, driving disk, epicyclic disks |



AC-173H

Features: Its super high power air-cooling motor and the double-capacitor design allow a safer operation. It provides a strong power output. Its driving parts are the triple epicyclic gears made of hard engineering plastic. It is well enclosed and makes a smooth driving, this allows a long operation. It has multiple functions such as carpet and floor cleaning, wax removing, low-speed polishing, floor crystal treatment and renewing.

AC-151

AIR Clean 15L wet and dry vacuum cleaner

Technical Specification:

| | |
|----------------------|-------------------------|
| Function: | wet and dry |
| Capacity: | 15L |
| Power: | 1000W |
| Voltage: | 220V—240V~ |
| Height: | 58cm |
| Tank diameter: | Ø345mm |
| Mode of cooling: | Circulating air cooling |
| Air flow rate: | 48 L/S |
| Vacuum suction: | 210mbar |
| Length of the cable: | 7m |
| Hose diameter: | Ø36mm |
| Packing: | IPC 43.8X43.8X65cm |



AC-151N



AC-151

Features: The stainless tank is strong and durable, with a powerful lower-noise motor; the vacuum cleaner has a specially strong suction. New-style large wheel plate, it is stable and beautiful. A complete set of accessories are supplied with the vacuum cleaner. AC-151D (DRY ONLY)

AC-301

AIR Clean 30L wet and dry vacuum cleaner

Technical Specification:

| | |
|----------------------|-------------------------|
| Function: | wet and dry |
| Capacity: | 30L |
| Power: | 1000W |
| Voltage: | 220V—240V~ |
| Height: | 78cm |
| Tank diameter: | Ø345mm |
| Mode of cooling: | Circulating air cooling |
| Air flow rate: | 53 L/S |
| Vacuum suction: | 230mbar |
| Length of the cable: | 7m |
| Hose diameter: | Ø40mm |
| Packing: | IPC 43.8X43.8X83.5cm |



AC-301N



AC-301

Features: The stainless tank is strong and durable, with a powerful lower-noise motor; the vacuum cleaner has a specially strong suction. New-style large wheel plate, it is stable and beautiful. A complete set of accessories are supplied with the vacuum cleaner.

AC-602S AC-602S-3

AIR Clean 60L wet and dry vacuum cleaner

Technical Specification:

| | |
|----------------------|-------------------------|
| Function: | wet and dry |
| Capacity: | 60L |
| Power: | 2000W 3000W |
| Voltage: | 220V—240V~ |
| Height: | 94cm |
| Tank diameter: | Ø440mm |
| Mode of cooling: | Circulating air cooling |
| Air flow rate: | 106 L/S |
| Vacuum suction: | 250mbar |
| Length of the cable: | 8m |
| Hose diameter: | Ø40mm |
| Packing: | IPC 63X63X104cm |



AC-602S-3 Three -motor(三马达)



AC-602S

AC-802S AC-802S-3

AIR Clean 80L wet and dry vacuum cleaner

Technical Specification:

| | |
|----------------------|-------------------------|
| Function: | wet and dry |
| Capacity: | 80L |
| Power: | 2000W 3000W |
| Voltage: | 220V—240V~ |
| Height: | 109cm |
| Tank diameter: | Ø440mm |
| Mode of cooling: | Circulating air cooling |
| Air flow rate: | 106 L/S |
| Vacuum suction: | 250mbar |
| Length of the cable: | 8m |
| Hose diameter: | Ø40mm |
| Packing: | IPC 63X63X120cm |



AC-802S-3 Three -motor(三马达)



AC-802S

Features: The stainless tank is strong and durable, with a powerful lower-noise motor ,the vacuum cleaner has a specially strong suction, tilted water device. A complete set of accessories are supplied with the vacuum cleaner.

HW-900

3-speed blower

Technical Specification:

| | |
|-----------------|---------------------------------|
| Power: | 900W |
| Voltage: | 220V—240V~ |
| Rotation speed: | high medium low |
| Air flow rate: | 160 130 110 m ³ /min |
| Cable: | 7m |
| Colour: | red blue gray |



HW-900

Features: Its housing is made of high strength polyethylene. It has a beautiful appearance. The three-gear speed regulation can satisfy the demands of various conditions.

HIFAN 3-SPEED BLOWER

HF-900

3-speed blower

Technical Specification:

| | |
|-----------------|---------------------------------|
| Power: | 900W |
| Voltage: | 220V—240V~ |
| Rotation speed: | high medium low |
| Air flow rate: | 160 130 110 m ³ /min |
| Cable: | 7m |
| Colour: | red blue gray |



HF-900


Features: Its housing is made of high strength polyethylene. It has a beautiful appearance. The three-gear speed regulation can satisfy the demands of various conditions.

A-056A

15L wet and dry vacuum cleaner accessories

- ① steel tube
- ② Round brush
- ③ Dust vacuuming head
- ④ water vacuuming head
- ⑤ sofa vacuuming head
- ⑥ long flat vacuuming head
- ⑦ soft tube
- ⑧ short connector
- ⑨ long connector

Note: 15L dust only vacuum cleaner doesn't include ④ water vacuuming head




A-056A

A-056B

30L, 60L, 80L, 90L wet and dry vacuum cleaner accessories

- ① steel tube
- ② Round brush
- ③ Dust vacuuming head
- ④ water vacuuming head
- ⑤ long flat vacuuming head
- ⑥ soft tube
- ⑦ long connector
- ⑧ short connector




A-056B

A-068

Dust bag

Orders with samples are welcome



A-068

A-008

(OLD NO: CB-A)

Small Water Tank

A-007A A-007B

(OLD NO: CB-B\C)

Big Water Tank



A-008

A-007A

A-007B

B-031

Large square plastic dustbin with cover

Technical Specification:

| | |
|---------------|-------------------------|
| Product size: | 43X29.4X65.5cm |
| Packing: | 57X38.5X68cm 10bins/box |
| Colour: | gray |

B-032

Medium square plastic dustbin with cover

Technical Specification:

| | |
|---------------|-----------------------|
| Product size: | 38X28X51.2cm |
| Packing: | 59X40X84cm 12bins/box |
| Colour: | gray |



B-031

B-032

B-041 (OLD NO:C-074)

Twin bucket

Technical Specification:

| | |
|---------------|---------------------------|
| Product size: | 36.8X45.7X25.4cm |
| Packing: | 84X42.7X49.7cm 10bins/box |
| Colour: | gray red |



B-041

B-039 (OLD NO:C-073)

Tool bucket(S)

Technical Specification:

| | |
|---------------|-----------------------|
| Product size: | 40X27.3X17cm |
| Colour: | gray |
| Packing: | 57X41X54cm 20bins/box |

B-039A

Tool bucket(L)

Technical Specification:

| | |
|---------------|-------------------------|
| Product size: | 40X35X69m |
| Colour: | gray |
| Packing: | 68.5X40X56cm 20bins/box |



B-039

B-039A

B-042 (OLD NO:C-067)

Cleaning wax barrel

Technical Specification:

| | |
|---------------|------------------------|
| Product size: | 51.4X26.7X33cm |
| Packing: | 63X53X75.5cm 1bins/box |
| Colour: | yellow |



B-042

B-038

Wringer Trolley

Technical Specification:

| | |
|---------------|------------------|
| Capacity: | 20L |
| Product size: | 40×27×34cm |
| Packing: | 49×27.5×34.5cm |
| Colour: | yellow red green |



B-038

Features: It is made of new high-graded plastic. It is light, handy and offers comfortable operation.

SIDE-PRESS DOUBLE MOP WRINGER TROLLEY

B-043

Side-press Double Mop Wringer Trolley

Technical Specification:

| | |
|---------------|-----------------|
| Capacity: | 60L |
| Product size: | 40×27×34cm |
| Packing: | 84×43×50cm |
| | 1 extractor/box |



B-043

Features: It is made of brand new high-graded plastic. One bucket is for clean water and one for foul water. It has a large capacity, allowing for a large area cleaning once. Having a plastic frame structure, it is pump-proof and firm.

Caution board

Technical Specification:

Packing:

PPmaterial : 33×32×64cm

ABSmateriall: 32×22×64cm

Colour:

10pieces/box
6pieces/box
yellow



B-131B~B-149B



Features: The product is made of brand new ABS or PP plastic material through injection mould. It has a sheeny and smooth surface, being strong and beautiful, The product doesn't get aged and deformed. Even placed in an environment of high temperature, under insolation or in vigorous winter it still keeps new after use a long time. The text in Chinese and English pattern on it are clear. There are many designs of this product. It is suitable for hotels, restaurants and other public sites. Orders with samples or texts are welcome.

Luxury Lobby Mop

(C-001/C-002/C-003/C-004/C-005/C-006)

Standard Lobby Mop

(C-007/C-008/C-009/C-010/C-011/C-012)

C-001

(OLD NO:B-007)

Product size:

Packing:

C-007

(OLD NO:B-001)

12"
(30X16cm)

25bins/ box

C-002

(OLD NO:B-008)

Product size:

Packing:

C-008

(OLD NO:B-002)

16"
(40X16cm)

25bins/ box

C-003

(OLD NO:B-009)

Product size:

Packing:

C-009

(OLD NO:B-003)

24"
(60X16cm)

25bins/ box

C-004

(OLD NO:B-010)

Product size:

Packing:

C-010

(OLD NO:B-004)

36"
(90X16cm)

25bins/ box

C-005

(OLD NO:B-011)

Product size:

Packing:

C-011

(OLD NO:B-005)

42"
(110X16cm)

25bins/ box

C-006

(OLD NO:B-012)

Product size:

Packing:

C-012



(OLD NO:B-006)

48"
(120X16cm)

25bins/ box

With Handle of 1.25M
or 1.5M

Features: The yarn has a high content of cotton. The strands are closely made. It is good at collecting dust. Repeating washing won't make it loose. The back lining is made of synthetic fibre. It is highly abrasion-proof. The part that is easy to wear is thickened, allowing a long use.



PLASSTIC SHOVEL
IRON SHOVEL
PLASSTIC SHOVEL WITH HENDRAIL
PICK UP TOOLS
CARPET WATER SUCKER
LONG BROOM
SHORT BROOM

C-019B

Plastic shovel

Colour: black

C-019C

Plastic shovel with hendrail

Packing: 79X33.5X68.5cm

Colour: black

C-019 (OLD NO:B-019)

Plastic shovel with hendrail

Packing: 79X33.5X68.5cm

Colour: black

C-020 (OLD NO:B-020)

Iron shovel

Packing: 6X64X28cm

Colour: green

C-300

Pick up tools

Packing: 98X41X13cm

C-018 (OLD NO:B-018)

Carpet water sucker

Product size: Ø38mm

C-021 (OLD NO:B-021A)

Long broom

Packing: 81X28X24cm

Colour: blue yellow green red

C-022 (OLD NO:B-021B)

Short broom

Packing: 75X25X25cm

Meca Tools



C-019B



C-019C



C-019




C-020



C-300



C-018



C-022



C-021

Steel straight squeegee

C-023

Product size: 18" 45cm
Packing: 44.5X22.5X12cm 30bins/box

C-024

Product size: 22" 55cm
Packing: 54.5X25.5X12cm 30bins/box

C-025

Product size: 30" 75cm
Packing: 74.5X25.5X12cm 30bins/box



C-025

C-024

C-023

Steel curved squeegee

C-027

Product size: 22" 55cm
Packing: 54X25.5X13.5cm 30bins/box

C-028

Product size: 30" 75cm
Packing: 74X25.5X13.5cm 30bins/box



C-028

C-027

Steel straight squeegee

C-029

Product size: 18" 45cm
Packing: 47X27X27.5cm 50bins/box

C-030

Product size: 22" 55cm
Packing: 57X27X27.5cm 50bins/box

C-031

Product size: 30" 75cm
Packing: 77X34X22cm 50bins/box



C-031

C-030

C-029

Steel curved squeegee

C-033

Product size: 22" 55cm
Packing: 57X22X19cm 20bins/box

C-034

Product size: 30" 75cm
Packing: 76X28X31cm 50bins/box



C-034

C-033